

## Decoupling of chemical and isotope fractionation processes during atmospheric entry of S-type micrometeorites

Lampe, Seppe; Soens, Bastien; Chernonozhkin, Stepan M; González De Vega, Claudia; Van Ginneken, Matthias ; Van Maldeghem, Flore; Vanhaecke, Frank; Glass, Bill P.; Franchi, Ian A.; Terryn, Herman; Debaille, Vinciane; Claeys, Philippe; Goderis, Steven

*Published in:*  
EGUsphere

*Publication date:*  
2022

*License:*  
CC BY

*Document Version:*  
Final published version

[Link to publication](#)

### *Citation for published version (APA):*

Lampe, S., Soens, B., Chernonozhkin, S. M., González De Vega, C., Van Ginneken, M., Van Maldeghem, F., Vanhaecke, F., Glass, B. P., Franchi, I. A., Terryn, H., Debaille, V., Claeys, P., & Goderis, S. (2022). Decoupling of chemical and isotope fractionation processes during atmospheric entry of S-type micrometeorites. In *EGUsphere* (2022 ed., pp. 1-1). [5656] EGU General Assembly Conference Abstracts.

### **Copyright**

No part of this publication may be reproduced or transmitted in any form, without the prior written permission of the author(s) or other rights holders to whom publication rights have been transferred, unless permitted by a license attached to the publication (a Creative Commons license or other), or unless exceptions to copyright law apply.

### **Take down policy**

If you believe that this document infringes your copyright or other rights, please contact [openaccess@vub.be](mailto:openaccess@vub.be), with details of the nature of the infringement. We will investigate the claim and if justified, we will take the appropriate steps.

EGU22-5656, updated on 14 Mar 2023

<https://doi.org/10.5194/egusphere-egu22-5656>

EGU General Assembly 2022

© Author(s) 2023. This work is distributed under the Creative Commons Attribution 4.0 License.



## Decoupling of chemical and isotope fractionation processes during atmospheric entry of S-type micrometeorites

**Sepe Lampe**<sup>1,2</sup>, Bastien Soens<sup>2,3</sup>, Stepan Chernonozhkin<sup>4,5</sup>, Claudia González de Vega<sup>4</sup>, Matthias van Ginneken<sup>6</sup>, Flore Van Maldeghem<sup>2</sup>, Frank Vanhaecke<sup>4</sup>, Billy Glass<sup>7</sup>, Ian Franchi<sup>8</sup>, Herman Terryn<sup>9</sup>, Vinciane Debaille<sup>3</sup>, Philippe Claeys<sup>2</sup>, and Steven Goderis<sup>2</sup>

<sup>1</sup>Hydrology and Hydraulic Engineering (HYDR), Vrije Universiteit Brussel, Brussels, Belgium (sepe.lampe@vub.be)

<sup>2</sup>Analytical-, Environmental-, and Geo-Chemistry (AMGC), Vrije Universiteit Brussel, B-1050 Brussels, Belgium

<sup>3</sup>Laboratoire G-Time, Université Libre de Bruxelles, B-1050 Brussels, Belgium

<sup>4</sup>Atomic & Mass Spectrometry – A&MS Research Unit, Ghent University, B-9000 Ghent, Belgium

<sup>5</sup>Lehrstuhl Allgemeine und Analytische Chemie, Montanuniversität Leoben, 8700 Leoben, Austria

<sup>6</sup>Centre for Astrophysics and Planetary Science, University of Kent, CT2 Canterbury, United Kingdom

<sup>7</sup>Department of Geological Sciences, University of Delaware, DE Newark, United States of America

<sup>8</sup>Planetary and Space Sciences, The Open University, MK7 Milton Keynes, United Kingdom

<sup>9</sup>Electrochemical and Surface Engineering, Vrije Universiteit Brussel, B-1050 Brussels, Belgium

During atmospheric entry, micrometeorites experience variable degrees of (i) evaporation due to gas drag heating and (ii) mixing with atmospheric oxygen. Evaporation affects the physical properties and chemical and isotopic compositions of fully melted cosmic spherules (CSs). Oxygen isotope ratios of pristine micrometeorites are commonly used to relate these particles to their appropriate parent bodies. However, the degree of mixing with atmospheric oxygen and isotope fractionation by evaporation in CSs generally remains unclear, leading to uncertainties in their initial oxygen isotope ratios, which in turn complicates the precursor body identification. Previously, several studies have estimated the degree of evaporation based on contents of major refractory elements Ca and Al in combination with Fe/Si atomic ratios. This now commonly adopted chemical classification system has not yet been assessed with O and Fe isotope variability. As evaporation leads to both isotope and chemical fractionation, it is imperative to verify whether the predicted amounts of evaporation based on isotopic and chemical proxies converge.

Here, we measure the major and trace element compositions of 57 chondritic (mostly vitreous) CSs, along with their Fe isotope ratios. The  $\delta^{56}\text{Fe}$  isotope and chemical (K, Zn, Na or CaO and  $\text{Al}_2\text{O}_3$  concentrations) fractionation in these particles show no correlation. This can be interpreted in two ways: (i) separate processes govern chemical and isotope fractionation or (ii) the selected proxies for isotope and/or chemical fractionation are inadequate. Because the initial Fe isotope ratios of chondrites display limited variation ( $0.005 \pm 0.008\text{‰}$   $\delta^{56}\text{Fe}$ ), Fe isotope ratios in CSs are assumed to only have changed through evaporation. At the same time, the chemical compositions of CSs show larger variability, so the CSs are thus often not chemically representative of their precursor

bodies.

As oxygen isotope ratios are commonly used to identify the precursor bodies of (micro)meteorites, triple oxygen isotope ratios are measured in 37 of the 57 CSs. Based on the relationship between  $\delta^{57}\text{Fe}$  and  $\delta^{18}\text{O}$ , the effect of evaporation on the O isotope ratios can be corrected, which allows for a more precise precursor body reconstruction. Via this method, two  $^{16}\text{O}$ -poor spherules with greatly varying degrees of isotope fractionation ( $\sim 1.0\text{‰}$  and  $29.1\text{‰}$   $\delta^{56}\text{Fe}$ , respectively) can be distinguished. Furthermore, it is observed that CSs that likely have an OC-like heritage all underwent the same degree of atmospheric mixing ( $\sim 8\text{‰}$   $\delta^{18}\text{O}$ ). These findings highlight the potential of including Fe isotope measurements to the regular methodologies applied to CS studies.